

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

---

Claims 1-11 (cancelled)

Claim 12 (previously presented): A remote-controlled material distribution apparatus carried on a vehicle having a spreader system having at least one container for carrying at least one material therein for distributing the at least one material on a travel surface across a width thereof, the remote-controlled material distribution apparatus comprising:

a control unit on board the vehicle in communication with the spreader system and with a remote computer, the control unit controlling the distribution of the at least one material on the vehicle travel surface and configured to receive at least one control signal from the remote computer.

B1  
Claim 13 (previously presented): The apparatus of claim 12 wherein upon receipt of the at least one control signal, the control unit communicates with the spreader system to distribute the at least one material on the travel surface.

Claim 14 (previously presented): The apparatus of claim 13 wherein the control signal includes a quantity of material control signal for controlling the quantity of material distributed on the travel surface.

Claim 15 (previously presented): The apparatus of claim 13 wherein the control signal includes a width control signal for controlling the width of the travel surface covered by the material distributed on the travel surface.

Claim 16 (previously presented): The apparatus of claim 13 wherein the control signal includes a direction control signal for controlling the direction of distribution of the material distributed on the travel surface.

Claim 17 (previously presented): The apparatus of claim 13 wherein the travel surface includes one of a road, a runway, and an agricultural field.

Claim 18 (previously presented): The apparatus of claim 13 wherein the vehicle includes a transmitter for transmitting a location of the vehicle to the remote computer.

Claim 19 (previously presented): The apparatus of claim 18 wherein the at least one control signal from the remote computer is a function of the location of the vehicle.

Claim 20 (previously presented): The apparatus of claim 18 wherein the transmitter transmits global positioning system coordinates to the remote computer.

Claim 21 (previously presented): The apparatus of claim 13 wherein the control signal includes a level of service control signal.

B1  
Claim 22 (previously presented): The apparatus of claim 13 including a second container for carrying a second material.

Claim 23 (previously presented): The apparatus of claim 22 wherein the control signal includes a type of material signal for controlling the distribution of at least one of the at least one material and the second material.

Claim 24 (previously presented): The apparatus of claim 22 wherein the control signal includes a level of service control signal.

Claim 25 (withdrawn): A remote-controlled snow removal apparatus mounted on a vehicle in communication with a remote computer comprising:

a control unit on board the vehicle in operable communication with the snow removal apparatus and the remote computer for controlling an orientation of the snow removal apparatus, wherein the control unit is configured to receive at least one control signal from the remote computer.

Claim 26 (withdrawn): The remote controlled snow removal apparatus of claim 25 wherein the snow removal apparatus includes a snow plow mounted on the vehicle for side discharge of snow to a side of the vehicle, the plow being moveable between a lowered plowing position and a raised non-snowplowing position, the at least one control signal directing movement of the plow between the lowered and raised position.

Claim 27 (withdrawn): The remote controlled snow removal apparatus of claim 26 wherein the snow removal apparatus includes a side discharge blocking plate moveable between a raised position to permit side discharge of snow and a lowered position to prevent side discharge of snow.

B' Claim 28 (withdrawn): The remote controlled snow removal apparatus of claim 26, the plow being moveable between a left side plowing position and a right side plowing position, the at least one control signal directing movement of the snow plow between the left side plowing position and the right side plowing position.

Claim 29 (currently amended): A material distribution apparatus for controlling distribution of [[a]] at least one material on a travel surface adapted to be mounted on a vehicle carrying a spreader system having at least one container carrying the at least one material therein, the material distribution apparatus comprising:

a control unit adapted to be carried on the vehicle, the control unit being in communication with the spreader system and controlling the distribution of the at least one material on the vehicle travel surface;

a global positioning system receiver in communication with the control unit; and  
wherein the control unit controls distribution of the at least one material from the spreader system as a function of the location of the vehicle.

Claim 30 (previously presented): The apparatus of claim 29 wherein the control unit is configured to control a quantity of material distributed on the travel surface as a function of the location of the vehicle.

Claim 31 (previously presented): The apparatus of claim 29 wherein the control unit is configured to control the width of the material distributed on the travel surface as a function of the location of the vehicle.

Claim 32 (previously presented): The apparatus of claim 29 wherein the control unit is configured to control the direction of the material distributed on the travel surface as a function of the location of the vehicle.

Claim 33 (previously presented): The apparatus of claim 29 wherein the travel surface is one of a road, a runway, and an agricultural field.

Claim 34 (previously presented): The apparatus of claim 29 wherein the control unit is configured to control the distribution of the material distributed on the travel surface as a function of a level of service control signal.

B1  
Claim 35 (previously presented): A material distribution apparatus for distributing at least one material on a travel surface adapted to be mounted on a vehicle having a spreader system coupled with at least one container for carrying the at least one material therein, the material distribution apparatus comprising:

a control unit adapted to be carried on board the vehicle in communication with the spreader system, the control unit controlling the distribution of the at least one material on the vehicle travel surface; and

the control unit having at least one user actuatable control thereon for setting a level of service and configured to control the distribution of the at least one material from the spreader system as a function of the level of service.

Claim 36 (currently amended): A synchronized material spreading apparatus comprising:  
a vehicle carrying at least a first material capable of being applied to a vehicle travel surface, said first material being carried in a container;

a first material application device supported on the vehicle and communicating with the material in the container;

a second material in a second container on the vehicle and a second material application

device communicating with the second material for applying the second material to the vehicle travel surface;

at least one control unit on board the vehicle in communication with the first material application device and the second material application device;

a global positioning system receiver in communication with the control unit for determining the location of the vehicle and transmitting the location of the vehicle to the control unit; and

wherein the control unit is configured to control the distribution of at least one of the materials as a function of the location of the vehicle.

Claim 37, (previously presented): From a vehicle having a spreader system having at least one container for carrying at least one material therein, a method of distributing the at least one material on a travel surface comprising:

B1 receiving an indication of a location of the vehicle from a global positioning system in communication with the vehicle;

transmitting a distribution control signal to the spreader system wherein the distribution control signal is a function of the received indication of the location of the vehicle; and

distributing the at least one material from the spreader system to the travel surface.

Claim 38 (previously presented): The method of claim 37 wherein the control signal includes a quantity of material control signal for controlling the quantity of material distributed on the travel surface.

Claim 39 (previously presented): The method of claim 37 wherein the control signal includes a width control signal for controlling the width of the material distributed on the travel surface.

Claim 40 (previously presented): The method of claim 37 wherein the control signal includes a direction control signal for controlling the direction of the material distributed on the travel surface.

*B1* Claim 41 (previously presented): The method of claim 37 wherein the travel surface includes a road, a runway, and an agricultural field.

---